UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/501,860	04/11/2005	Jibin Ma	H0678.70010US00	6397
	7590 07/14/200 IFIELD & SACKS, P.O		EXAMINER	
600 ATLANTIC	C AVENUE		AGA, SORI A	
BOSTON, MA 02210-2206			ART UNIT	PAPER NUMBER
			2619	
			MAIL DATE	DELIVERY MODE
			07/14/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/501,860	MA ET AL.			
Office Action Summary	Examiner	Art Unit			
	SORI A. AGA	2619			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 66(a). In no event, however, may a reply be time fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 16 Ju	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-6 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-6 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on 1/16/2004 is/are: a) applicant may not request that any objection to the objected to be corrected.	r election requirement. r. accepted or b) objected to by t drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/15/2007; 09/17/2007; 01/04/2007.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te			



Application No.

Art Unit: 2619

DETAILED ACTION

Specification

1. The abstract of the disclosure is objected to because it is not in a narrative form and employs legal phraseology. Correction is required. See MPEP § 608.01(b).

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the connected switching node (claim 1 line 4) and connected terminating node (claim 1 line 10) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will

Art Unit: 2619

be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claims are generally narrative and indefinite, failing to conform with current U.S. practice. They appear to be a literal translation into English from a foreign document and are replete with grammatical and idiomatic errors. Following are some examples:

Claim 1 recites 'buffers' in lines 1, 2, 5, 8, 11, 12, 14, 15, 17, 18 and 22. It is unclear whether all/some of the buffers are the same/distinct from each other.

Claim 1 recites 'the connected switching node' in line 4. It is unclear whether the recitation is the same as the 'the connected terminating node' recited in line 9.

Claim 1 also recites 'buffers of the VC' in lines 5, 8, 11, 12 and 17. There is insufficient antecedent basis for this limitation.

Claim 1 also recites 'said buffers corresponding to each CID value' in lines 18-19. There is insufficient antecedent basis for this limitation.

Claim 1 recites 'setting ...buffers' in lines 2 and 3. It is unclear whether each one of the buffers is set for both sending and receiving or each one of the buffers is set for either sending or receiving.

Art Unit: 2619

Applicant is respectfully advised to revise all claims to conform to current U.S. practice regarding claim clarity.

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lee (US 6,829,241) (herein after Lee) teaches a plurality of sending and receiving FIFOs-202-205, FIFOs-31-33, 36, 38a-38n, 40, 46a-46n, 48, and 41-43 (see fig. 5) (buffers) for implementing AAL2 (voice) and AAL5 (data) [column 4 lines 31-43].

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SORI A. AGA whose telephone number is (571)270-1868. The examiner can normally be reached on M-Th 7:30-5:00, F 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau T. Nguyen can be reached on (571) 272-3126. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2619

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. A. A./ Examiner, Art Unit 2619

/STEVEN HD NGUYEN/

Acting SPE of Art Unit 2619/2600